Libya Global Youth Tobacco Survey (GYTS) FACT SHEET



The Libyan Arab Jamahiriya GYTS includes data on prevalence of cigarette and other tobacco use as well as information on five determinants of tobacco use: access/availability and price, environmental tobacco smoke exposure (ETS), cessation, media and advertising, and school curriculum. These determinants are components Libya could include in a comprehensive tobacco control program. The Libyan Arab Jamahiriya GYTS was a school-based survey of students in grades 7, 8, 9, conducted in 2003.

A two-stage cluster sample design was used to produce representative data for all of Libya. At the first stage, schools were selected with probability proportional to enrollment size. At the second stage, classes were randomly selected and all students in selected classes were eligible to participate. The school response rate was 98.0%, the student response rate was 99.0%, and the overall response rate was 97.0%. A total of 1850 students participated in the Libyan Arab Jamahiriya GYTS.

Prevalence

14.8% of students had ever smoked cigarettes (Boy = 22.0%, Girl = 6.7%)

14.6% currently use any tobacco product (Boy = 18.7%, Girl = 9.4%)

5.9% currently smoke cigarettes (Boy = 9.4%, Girl = 1.7%)

10.6% currently use other tobacco products (Boy = 12.5%, Girl = 8.1%)

19.8% of never smokers are likely to initiate smoking next year

Knowledge and Attitudes

27.6% think boys and 19.2% think girls who smoke have more friends 19.8% think boys and 14.3% think girls who smoke look more attractive

Access and Availability - Current Smokers

23.9% usually smoke at home

27.5% buy cigarettes in a store

* who bought cigarettes in a store were NOT refused purchase because of their age

Environmental Tobacco Smoke

40.3% live in homes where others smoke in their presence

38.7% are around others who smoke in places outside their home

75.5% think smoking should be banned from public places

65.7% think smoke from others is harmful to them

32.1% have one or more parents who smoke

5.7% have most or all friends who smoke

Cessation - Current Smokers

80.0% want to stop smoking

85.3% tried to stop smoking during the past year

91.7% have ever received help to stop smoking

Media and Advertising

71.0% saw anti-smoking media messages, in the past 30 days

57.4% saw pro-cigarette ads on billboards, in the past 30 days

53.2% saw pro-cigarette ads in newspapers or magazines, in the past 30 days

12.2% have an object with a cigarette brand logo

10.9% were offered free cigarettes by a tobacco company representative

School

52.1% had been taught in class, during the past year, about the dangers of smoking 38.6% had discussed in class, during the past year, reasons why people their age smoke

46.8% had been taught in class, during the past year, the effects of tobacco use

Highlights

- 15% of students currently use any form of tobacco; 6% currently smoke cigarettes; 11% currently use some other form of tobacco.
- ETS exposure is high Over 4 in 10 students live in homes where others smoke in their presence; Almost 4 in 10 are exposed to smoke in public places; Over 3 in 10 have parents who smoke.
- Almost 7 in 10 of students think smoke from others is harmful to them.
- Almost 8 in 10 students think smoking in public places should be banned.
- 8 in 10 smokers want to quit.
- Over 7 in 10 students saw antismoking media messages in the past 30 days; Almost 6 in 10 students saw pro-cigarette ads on billboards in the past 30 days; Over 5 in 10 saw pro-cigarette ads in newspapers or magazines in the past 30 days.

^{*} Sampling contained less than 35 responses